



INTERNATIONAL



CONDUIT
FITTINGS & ACCESSORIES



STAINLESS STEEL
CONDUIT FITTINGS



BRASS ACCESSORIES



www.ksint.in



info@ksint.in



+91 8928661380
+91 8928647699



Flange Coupler

Size: 20mm, 25mm



Normal Bend

Size: 20mm, 25mm



Reducer

Size: 25mm x 20mm



Lock Nut - Hexagonal (Nut Hex)

Size: 16mm to 50mm
Size: 1/2" to 2"



**Flat Crampet
Twisted Crampet**

Size: 20mm, 25mm



Coupler

Size: 20mm, 25mm
Size: 3/4", 1"



**Plain Saddle
(Steel Clamps Plain)**

Size: 20mm, 25mm



Hex Stop End

Size: 20mm, 25mm



**Box Lid Cover
(Recessed)**

Size: 20mm & 25mm



**Lock Ring - Milled Edge
(Nut Round)**

Size: 16mm to 50mm
Size: 1/2" to 2"



**Box Lid Cover
(Flat)**

Size: 20mm & 25mm




Nipple

Size: 20mm, 25mm



**Spacer Bar Saddle
(Steel Clamps)**

Size: 20mm to 50mm
Size: 3/4" to 2"



**Hospital Saddle
Distance Saddle**

Size: 20mm, 25mm




**Circular Box
Type: 1,2,3,4 way
Angle- U-H-Y way**

Size: 20mm - 25mm




Half Saddle

Size: 20mm, 25mm
3/4", 1"



**Mounting Channel
(Din Rail)**

Size: 35mm, 32mm



**Earth Rod
(Copper Bonded)**

Size: 3/8", 5/8"



Serrated Washers

Size: 16mm to 90mm
Size: NPT- 1/2" to 4"



Male Hook

Size: 20mm



**Adaptor
(For Flexible Conduit)**

Size: 3/4" to 2"



Gasket

For: 20mm - 25mm
Circular Box



Struck Channel

Size: 21 x 41, 41 x 41, 3/4" x 1 1/2"



**Grommet
Super Grommet**

(Open/Blind)
Size: 20mm to 50mm



Dome Cover

Size: 20mm, 3/4"



Switch & Socket Box

Size: 1 Gang x 16mm & 25mm,
1 Gang x 35mm & 47mm,
2 Gang x 25mm & 35mm,
Duel Box x 35mm



Extension Ring

Size: 10mm to 50mm




**Looping Box
Type: 1,2,3 Holes & 4 K.O.**

Size: 32.0mm Deep x 63.3mm



Steel Adaptable Box

Size: 3" x 3" to 12" x 12"
& 1.5" to 6" Deep



Steel Screw

Size: M3.5, M4, 2BA, 4BA.
Long: 1/2" to 3"



Tee Inspection

Size: 20mm, 25mm



Elbow Inspection

Size: 20mm, 25mm

STAINLESS STEEL CONDUIT FITTINGS



Ferules (In Line Connector) Splices

Size: 1.5mm² to 1000mm²



Copper Cable Lugs (Bell Mouth)

Size: 6mm² to 300mm²



Serrated Washers

Size: 16mm to 90mm
Size: NPT 1/2" to 4"



Female Bush

Size: 20mm, 25mm



Lock Nut

Size 20mm, 25mm



Reducer

Size: 25mm x 20mm



Male Bush

Size: 20mm, 25mm, 32mm



Copper Cable Lugs

Size: 1.5mm² to 1000mm²



Hex Stop End (Plug)

Size: 20mm, 25mm



Nipple

Size: 20mm, 25mm



Flange Coupler

Size: 20mm, 25mm, 32mm



Coupler

Size: 20mm, 25mm, 32mm

CABLE LUGS & TERMINALS



Tinned Copper Cable Lugs

○ BRASS ACCESSORIES ○



Brass Earth Rod Clamps

Size: 3/8", 5/8" & others



Brass Neutral / Earth Links

Size: 2 way to 40 way



Brass Tape Clips

Size: 20mm x 3mm
25mm x 3mm & others



Brass D.C. Tape Clips

Size: 20mm x 3mm
25mm x 3mm & others



Brass Adaptors (Male & Female) (Self Finish)

Size: 1/2" x 10mm to 2" x 2"



Brass Connectors (Male & Female) (Nickle Plated)

Size: 1/2" x 10mm to 2" x 2"



Brass Square Clamp

Size: 20mm x 3mm
25mm x 3mm & others



Brass Cable Gland

Type: A-2
Size: 16mm to 90mm



Brass Male/Female Bush

Size: 16mm to 50mm
3/4" to 2"



Brass Couplings

Size: 5/8" & othersv



Brass Cable Gland

Type: CW
Size: 16mm to 90mm



Brass Cable Gland

Type: BW
Size: 16mm to 90mm

○ EARTHING & ELECTRICAL PROTECTION ○



Multiple Point Lighting Protection



K&S

INTERNATIONAL



GET IN TOUCH



www.ksint.in



info@ksint.in



+91 8928661380

+91 8928647699



A-1601, Sai Gaurav Bldg , Opp. Sai Mandir,
Sai Chowk, Khadakpada Kalyan(W) Mumbai.